



E X C L U S I V E



VOLUME 2

E X C L U S I V E



ANTIBACTERIAL



Antibacterial, germ resistant and contagion free. Stylam products are designed to keep you safe and sound and your environment resplendent with unique, breathtaking textures and patterns from a vast range of superior laminates.

NATURE IS

THE INSPIRATION

FOR ALL

ORNAMENTATION

Frank Lloyd Wright

Architect

NATURE ABOUNDS IN DESIGN. FROM THE SHAPE OF STARFISHES TO THE GROOVES IN THE TREE TRUNK, NATURE IS A TREASURY OF PATTERNS. SHAPES, DESIGNS AND WE ALL REVEL IN THESE BOUNTIES. THE PATTERNS ON A BEETLE AND THE COLORS OF THE FLOWERS, THE UNDULATIONS OF RAVINES TO THE INTRICACIES OF A ROCK, DESIGN INSPIRES US IN EVERY SPHERE OF OUR LIFE. URGING US TO TAKE THEM INTO OUR EVERYDAY ROUTINES, **SPACE AND HOMES,** CONTINUOUSLY CHEERING US ON IN EVERY SPHERE.

WORLD OF DESIGN

STYLAM PRODUCES A WORLD OF DESIGNS, TEXTURES, PATTERNS IN LAMINATES THAT BRING TO THE FOREFRONT - BEAUTY, AESTHETICS AND CHARM - OF PIECES OF FURNITURE, WALLS, CABINETS, DOORS AND LIVING SPACES. THIS ELEGANT YET THOUGHTFULLY SOUGHT COLLECTION BRINGS TO YOU THE CHOICEST OF LAMINATES FROM AROUND THE WORLD, RIGHT HERE AT YOUR DOORSTEP. CHOOSE FROM THIS VAST ARRAY AND TAKE HOME A WORLD OF DESIGN.

WORLD OF
STYLAM

PRODUCT PORTFOLIO



We offer the widest selection of patterns and finishes available to match the breadth of your imagination and make your design unique.

Granex SOLID SURFACES Granex Solid Surface by Stylam

Engrave it. color it. Thermoform it. Granex can be whatever you imagine it can be. Undulating, virtually seamless, organic shapes, bold effect of color and translucency - if you can dream it, you can create it with Granex Acrylic Solid surface. A brand new addition in Stylam house.

MAGNETIC LAMINATES

Magnetic Collection, from the House of Stylam, is the high-tech hybrid of industrial flair and sophisticated design. Widely used for vertical applications and as an accent to counter-top, the decorative metal line is a virtually unbreakable addition to any commercial project.

DiGi delight DIGITAL LAMINATES

Digital Laminates are an easy, simple and reliable mode of artistic expression which offer architect & designers scope of imagination to something that you see, touch & feel, this is what sums up intention of Digital Laminates.

UNICORE LAMINATES

Unicore Laminates are a unique combination of identical colours with core layered decorative surface. Tastefully selected decorative papers for surface layers are infused with treated melamine resins. Same decorative papers are used as core layers that are infused with specially treated Amino resins.

Marvella. MODIFIED SOLID SURFACES

Marvella, the marvel of a product Modified Solid Surfaces work with a wide range of other materials like metal, wood, glass, or natural stone. With a stable base, Marvella creates a surface that is the same from top to bottom. Furthermore, they fit seamlessly with each other, thanks to their special surface matching glue.



Restroom Cubicles & Locker CUBOID - a modular restroom and locker cubical system. Cuboid range from Stylam is crafted using the finest material and highest quality fixture and fitting especially for heavy traffic areas where functionality and durability matters the most.

FASCIA EXTERIOR CLADDING

From inspiration to application, each and every aspect of "exterior designing" is different. While weather plays a crucial role, it is also aesthetic that drives the concept. Fascia Exterior Cladding has been conceived keeping all the aspect into consideration.



Fire Retardant Exterior Laminates panels have extreme fire retardant quality which makes them difficult to ignite and have low spread of flame. The evacuating time in case of fire is therefore prolonged

SMART BOARD WHITE CHALK BOARD

Stylam Chalk/Marker Board are made with special type of synthetic polymer which imparts durability to surface with easy cleaning of dry erase markers or wet erase markers.

FLICKER LAMINATES

Stylam Flicker Laminates are a unique & stylish range when it comes to variety of laminates. The attention they demand is instant and there is no question about the premium outlook it gives.

STYLAM SYNCHRO LAMINATES

Stylam Synchro Laminates has real feel of wood and elegant natural look. Other decorative laminate base paper pattern is not in matching with surface texture of decorative design, but to provide real natural feel to your interiors one need both laminate design & texture to be synchronized with each other, here comes the Stylam range of Synchro Laminates.

MIRROR SHIELD LAMINATES

The mirror laminates. Manufactured using real Aluminium, Stainless Steel and copper foils backed by Phenolic resins impregnated Kraft paper giving a semi rigid sheet for easy fabrication.



A touch won't raise eyebrows anymore. The truth is, you touch & you leave your trace behind. Not anymore with Stylam Anti-Finger Print Laminates. It is a type of High Pressure Laminate that is used in the most demanding interior design application.



Stylam gives much importance towards the right combination of resins, chemical additives, curing time & temperature, decorative paper, abrasion resistance overlay & high-quality steel press plates to give high gloss level to the laminates sheet.



Prelam boards are MDF boards that have a decorative laminate surface attached to it. Adding such a decorative laminate over the board surface greatly increases its aesthetic value by making it look more attractive for the end-customer.




With excellent AB & AF properties, +Plus Guard Stylam panel will meet the demands in areas where chemical & water are used more and where contamination is a genuine threat.

POSTFORMING LAMINATES

Stylam post forming laminate range has been exclusively designed for usage on vertical and horizontal interior surface, where the laminate is required to roll in a simple radius over the edges of substrate.

COMPACT LAMINATES

Stylam Compact Laminates Panels are available in the options of all Brown core, all Black core and sandwiched design core.



CONTENT

1	TouchMe – Antifinger Print Laminates	01-10
2	GlossPro+ – High Gloss Laminates	11-18
3	Mirror Shield Laminates	19
4	Magnetic Laminates	20
6	Unicore Laminates	21-22
5	Metallic Laminates	23
7	Chalk Board	24
8	Marker Board	24
9	Chemical Resistant Laminates - Lab Mate	25-26
10	Fire Retardant Laminates	27
11	Electrostatic Dissipative Laminates (ESD)	28
12	Digital Laminates	29-34

TREND SETTER





TOUCHME

A range of exclusive Laminates which can be used without leaving any traces behind. No fingerprints! A result of unique German technology. TouchMe is a maintenance-free laminate to keep your favourite surface spotless!



WORLD OF
SOFT TOUCH



↑ Platinum Grey 8106 / AFP


Platinum Grey 8106 / AFP






↑ Creamy White 1005 / AFP


Pure White 8001 / AFP



Off White 1020 / AFP



Creamy White 1005 / AFP



Castoro Beige 1723 / AFP




Lam Peach 1086 / AFP




Beige Arizona 1715 / AFP




Ivory Grey 538 / AFP



Aster Grey 1051 / AFP



Soldier Green 1037 / AFP



Mory Yellow 1098 / AFP




Khakhi 8203 / AFP



Premium Green 1722 / AFP



Rosso Jaipur 1721 / AFP




Purple Dye 1159 / AFP




Avio Blue 1709 / AFP




Coastal Green 200 / AFP



Dark Blue 155 / AFP




City Shadow 1014 / AFP



Charcoal Brown 8232 / AFP



Black Magic 142 / AFP



anti finger print





Nastu 1445 / AFP


Nastu 1445 / AFP



Uliano Venato Stone 1461 / AFP



Pearl Metallic 1589 / AFP



Wickham Grey 1590 / AFP



Tussock Beige 1588 / AFP



Bronce Metallic 1591 / AFP



Orlando Walnut 7720 / AFP



Brick Wood 7706 / AFP



Yadan Wood 7723 / AFP



Jungle Ultra 2601 / AFP




Amber Horizontal 2590 / AFP



Horz Grey 2605 / AFP



Jungle Ultra 2601 / AFP



GLOSSPRO+

Stylam gives much importance towards the right combination of resins, chemical additives, curing time & temperature, decorative paper, abrasion resistance overlay & high-quality steel press plates to give high gloss level to the laminates sheet.



WORLD OF SHINE




1.2 mm
THICKNESS

★ MIRROR LIKE REFLECTIVE SURFACES


★ ABSOLUTE HIGH GLOSS

Creamy White 1005 / Gpro+


Creamy White 1005 / Gpro+



Pure White 8001 / Gpro+




Off White 1020 / Gpro+




Lam Peach 1086 / Gpro+




Beige Arizona 1715 / Gpro+




Castoro Beige 1723 / Gpro+




Platinum Grey 8106 / Gpro+




Ivory Grey 538 / Gpro+





Aster Grey 1051 / Gpro+



City Shadow 1014 / Gpro+



Black Magic 142 / Gpro+



Avio Blue 1709 / Gpro+


Avio Blue 1709 / Gpro+



Dark Blue 155 / Gpro+



Soldier Green 1037 / Gpro+



Mory Yellow 1098 / Gpro+




Khakhi 8203 / Gpro+




Premium Green 1722 / Gpro+



Rosso Jaipur 1721 / Gpro+




Purple Dye 1159 / Gpro+



Charcol Brown 8232 / Gpro+



Coastal Green 200 / Gpro+



↑ Uliano Venato Stone 1461 / Gpro+


Nastu 1445 / Gpro+



Uliano Venato Stone 1461 / Gpro+



Pearl Metallic 1589 / Gpro+



Wickham Grey 1590 / Gpro+



Orlando Walnut 7720 / Gpro+




Brick Wood 7706 / Gpro+



Tussock Beige 1588 / Gpro+



Bronce Metallic 1591 / Gpro+



Yadan Wood 7723 / Gpro+



Jungle Ultra 2601 / Gpro+



Amber Horizontal 2590 / Gpro+



Horz Grey 2605 / Gpro+



MIRROR



Gunmetal Mirror 9654 / MR


Gold Mirror 9652 / MR




Silver Mirror 9651 / MR



Coper Mirror 9653 / MR




Gunmetal Mirror 9654 / MR



MAGNETIC

Off White 1020 / M/GL



Chalk 199 / M/TX




Off White 1020 / M/GL

UNICORE




• Pure White 8001 / UHG


Pure White 8001 / UHG




Pure White 8001 / UMT



Mysore Ivory 8004 / UHG



Mysore Ivory 8004 / UMT




Ivory 8023 / UMT




Warm Grey 8107 / UMT



PO Red 8553 / UMT




Golden Yellow
8504 / UMT



Federal Blue
8422 / UMT



Black 8142 / UMT



METALS



• Brushed Steel 9598 / MT


Bright Gold 9599 / MT




Brushed Steel 9598 / MT




Rose Gold 9655 / MT



Titanium 9662 / MT




Pure Copper 9656 / MT



CHALK & MARKER BOARD

White Marker / GL



Chalk Green / TX



• Chalk Green / TX





Lab White CR 0043 / S2

Lab Grey CR 0044 / S2

LAB MATE

With excellent AB & AF properties, +Plus Guard Stylam Compact Panels will meet the demands in areas where chemicals and water are used more and where contamination is a genuine threat. A very special acrylic resin formulation is applied over decorative surface paper to achieve highest degree of chemical resistance together with a maximum scratch resistance. The decorative paper is impregnated with several acrylic coating to make the surface free from any porosity and then hardened by electron beam curing. The impregnated decor paper then is assembled with several layers of Phenolic resin treated kraft paper and pressed under 90Kg/sq cm specific pressure and at about 150°C temperature for about 30 to 40 min.

*Plus Guard Stylam Laminate is resistant to large number of relatively strong chemicals used in a laboratory making it ideal to be used in Chemical, Analytical, micro-biological, health care, pharmaceuticals & educational laboratories. +Plus Guard Stylam Laminate provides a highly durable surface in lab conditions and has better abrasion & scratch resistance.

Applications


- Kitchen Sinks • Wall panels • Science Labs
- Table Counters • Lab benches • Space Research Labs
- Wardrobes • Clinics Furniture • Operational Rooms
- Cabinets • Photographic Labs • Chemical Industry

Sheet Sizes: 1550 X 3660 mm


Thickness: 1mm and above as per standard grade




Lab White CR 0043 / S2



Lab Grey CR 0044 / S2



Lab Black CR 0042 / S2





FIRE RETARDANT LAMINATES

Stylam Fire Retardant Laminates are manufactured by impregnating papers with special phenolic resin having imported fire retardant chemicals in its composition. This special resin formula ensures high resistance to the flame propagation. These Laminates ensure immediate full extinguish as soon as the flame source is removed thus eliminating the risk of toxic smoke. Stylam Fire Retardant Laminates have been certified conforming to Euroclass-B requirement by Applus Laboratory, Spain. These laminates are designed for use requiring flame and smoke resistance in all modern day furniture and industrial applications.

Application

- Fire Prone Areas • Kitchens • Cabinets • Interior Doors • Wall Panels
- Airports • Hotels • Office Buildings • Shopping Malls • Multiplexes
- Hospitals • Schools • Apartments

Fabrication

- **SAWING:** To avoid chipping, it is important that the saw blade teeth cut into the decorative face.
- **CIRCULAR SAWING:** To avoid vibration that causes chipping, make sure to provide support to the material near the point of blade contact.
- **ROUTING:** Electric or air powered carbide tip routers could be used for routing. Recommended router speed is 16000 to 22000 rpm. For special edge trimming very high speed routers should be used to achieve smooth-edge chip-free work.
- **EDGE FINISHING:** Belt sanders may be used to push the self-edge before the laminate top is applied.
- **ADHESIVES:** Special Post Forming Adhesive is recommended.
- **PROTECTIVE FILM:** The protective film should be removed as soon as the application is complete. Else exposure to strong lights may cause a pale residue and make it difficult to remove the protective film.



ELECTROSTATIC DISSIPATIVE LAMINATES

Electrostatic Dissipative laminates (ESD) diffuse static electricity to protect electronics and other static-sensitive devices from electric charges that could cause damage during manufacturing or assembly.


Application:

- Static-Sensitive Electronic Components
Manufacturing Workstations • Hospitals
- Medical Facilities • Technical Departments/
BPO Offices • Science Laboratories
- Mobile Manufacturing Units
- Pharma Labs • Electronic Units

Features:


- Low electrical resistance
- Absolute charge drainage and zero voltage suppression
- ESD is post formable but will require a larger radius than standard laminate
- Resistant to most common solvents, hot solder and fluxes.
- ESD is guaranteed to maintain its static control properties.

Sheet Sizes: 1220 X 2440 mm, 1300 X 3050 mm
Available in any colour depending upon quantity



DIGITAL


Let's get Digital! Digital Laminates can be custom made as per your requirement and can be easily manufactured in any design you desire.



Digidelight
DIGITAL LAMINATES

WORLD OF DIGITAL
TECHNOLOGY


Note: All colours mentioned in this section are images to the actual colours. Colour may vary a little. All designs will be available on demand.



AB 05 / SD



Customized
Designs



Highly
Decorative



Smooth Surface



Easy to clean



Hydro-repellant


AB 04 / SD



AB 03 / SD



AB 02 / SD



NA 04 / SD



AB 05 / SD



CH 05 / SD




CH 04 / SD

CH 04 / SD



RT 03 / SD



RT 03 / SD

NA 05 / SD



NA 03 / SD



CERTIFICATIONS

IN 29 YEARS, WE HAVE ACHIEVED WHAT ONLY A FEW DREAM OF. TRUTH IS, WE JUST KEEP ON GOING WITH WHAT WE HAVE DECIDED. AND THEN EVERYTHING ELSE... JUST FOLLOWS. THE ISO 9001:2015 CERTIFICATION IS A HALLMARK OF INTEGRITY, QUALITY AND RELIABILITY. THE DESIGN AND EFFICIENCY OF THE LAMINATES HAVE EARNED US THE CE MARKING AWARD. STYLAM TAKES PRIDE IN BEING RECOGNIZED AS AN EXPORT HOUSE BY THE GOVERNMENT OF INDIA. WE MEET ALL QUALITY, SAFETY, GREEN STANDARD AND OPERATE AS RESPONSIBLE CORPORATE CITIZEN.



CARE & MAINTENANCE

Your decision to select Stylam Laminate will bring you years of quality performance. Everyday cleaning of our products is as simple as a quick wipe with a damp sponge. All resist muddy fingerprints, coffee spills and so much more.

Please read and follow the recommended care and cleaning procedures.

ROUTINE CARE

To clean the surface, use a damp cloth or sponge and mild soap or detergent. Rinse thoroughly with warm water and wipe dry.

Difficult stains such as a coffee or tea can be removed using a mild household cleaner and soft bristled brush, repeating as necessary.

If a stain persists, use a paste of baking soda and water and apply with a soft bristled brush. Light scrubbing for 10 to 20 strokes should remove most stains. Although baking soda is a low abrasive, excessive scrubbing or exerting too much force could damage the decorative surface, especially if it has a gloss finish.

Stubborn stains that resist any of the above cleaning methods may require the use of undiluted household bleach or nail polish remover. Apply the bleach or nail polish remover to the stains and let stand no longer than two minutes. Rinse thoroughly with water and wipe dry. These steps may be repeated if the stain appears to be going away and the colour of the laminate has not been affected.

WARNING: Prolonged exposure of the laminate surface to the bleach will cause discolouration.

Hot pans and heat-producing appliances (such as electric skillets), when set directly upon countertops, can damage the product's beauty. Always use a heat shield, hot pad or trivet.

CAUTION PLEASE!

Acidic or abrasive cleaner can damage laminate surface; do not use them. Drain cleaners containing lye will permanently damage any Stylam Laminate surface. If you spill drain cleaner, wipe it immediately and rinse several times with water.

Hair, textile and food dyes can cause permanent stains. If dye should happen to spill, wipe it immediately with dishwashing detergent or an all-purpose cleaner.

Never place pots or dishes directly from the oven or burner on an unprotected laminate surface; such extreme heat can cause cracking or blistering.

Do not work with oven cleaner on an unprotected countertop. Wipe spills away promptly and rinse several times with water.

Rust removers contain harsh chemicals which will quickly cause permanent damage. If a spill occurs, wipe off all residue immediately, wash thoroughly with soap water and rinse several times.

Steel wool and other abrasive pads will damage Stylam Laminate. Don't use them for cleaning and don't store steel wool pads on your countertop; the metal can rust and leave stains.

Toilet cleaners contain harsh chemical that cause permanent damage. If spills occur, wipe immediately, wash surface with soapy water and rinse several times.

DESIGN NO.	FINISH	DESIGN NAME	PAGE NO.
ANTI FINGER PRINT			
8106	AFP	Platinum Grey	03
8001	AFP	Pure White	04
1020	AFP	Off White	04
1005	AFP	Creamy White	04
1723	AFP	Castoro Beige	04
1086	AFP	Lam Peach	04
1715	AFP	Beige Arizona	04
538	AFP	Ivory Grey	04
1051	AFP	Aster Grey	04
1037	AFP	Solider Green	05
1098	AFP	Mory Yellow	05
8203	AFP	Khakhi	05
1722	AFP	Premium Green	05
1721	AFP	Rosso Jaipur	05
1159	AFP	Purple Day	05
1709	AFP	Avio Blue	05
200	AFP	Coastal Green	05
155	AFP	Dark Blue	05
1014	AFP	City Shadow	05
8232	AFP	Charcol Brown	05
142	AFP	Black Magic	05
1445	AFP	Nastu	07
1461	AFP	Ulliano Venato Stone	07
1589	AFP	Pearl Matellic	08
1590	AFP	Wickham Grey	08
1588	AFP	Tussock Beige	08
1591	AFP	Bronce Matallic	08
7720	AFP	Orlando Walnut	09
7706	AFP	Brick Wood	09
7723	AFP	Yadan Wood	09
2601	AFP	Jungle Ultra	09
2590	AFP	Amber Horizontal	09
2605	AFP	Horz Grey	09
GLOSS PRO+			
1005	GPro+	Creamy White	12
8001	GPro+	Pure White	13
1020	GPro+	Off White	13
1086	GPro+	Lam Peach	13
1715	GPro+	Beige Arizona	13
1723	GPro+	Castoro Beige	13
8106	GPro+	Platinum Grey	13
538	GPro+	Ivory Grey	13
1051	GPro+	Aster Grey	13
1014	GPro+	City Shadow	13
142	GPro+	Black Magic	14
1709	GPro+	Avio Blue	14
155	GPro+	Dark Blue	14
1037	GPro+	Soldire Green	15
1098	GPro+	Mory Yellow	15
8203	GPro+	Khakhi	15
1722	GPro+	Premium Green	15
1721	GPro+	Rosso Jaipur	15

DESIGN NO.	FINISH	DESIGN NAME	PAGE NO.
1159	GPro+	Purple Dye	15
8232	GPro+	Charcol Brown	15
200	GPro+	Coastal Green	15
1445	GPro+	Nastu	16
1461	GPro+	Ulliano Venato Stone	16
1589	GPro+	Peral Metallic	17
1590	GPro+	Wickham Grey	17
1588	GPro+	Tussock Beige	17
1591	GPro+	Bronce Metallic	17
7720	GPro+	Orlando Walnut	18
7706	GPro+	Brick Wood	18
7723	GPro+	Yadan Wood	18
2601	GPro+	Jungle Ultra	18
2590	GPro+	Amber Horizontal	18
2605	GPro+	Horz Grey	18
MIRROR			
9651	MR	Silver Mirror	19
9652	MR	Gold Mirror	19
9653	MR	Coper Mirror	19
9654	MR	Gunmetal Mirror	19
MAGNETIC			
199	M/TX	Chalk	20
1020	M/GL	Off White	20
UNICORE			
8001	UGH	Pure White	21
8001	UMT	Pure White	22
8004	UGH	Mysore Ivory	22
8004	UMT	Mysore Ivory	22
8023	UMT	Ivory	22
8107	UMT	Warm Grey	22
8142	UMT	Black	22
8422	UMT	Federal Blue	22
8504	UMT	Golden Yellow	22
8553	UMT	PO Red	22
METALS			
9598	MT	Brushed Steel	23
9599	MT	Bright Gold	23
9655	MT	Rose Gold	23
9656	MT	Pure Copper	23
9662	MT	Titanium	23
CHALK BOARD & MARKER BOARD			
	TX	Chalk Green	24
	GL	White Marker	24
CHEMICAL RESISTANT			
CR 0042	S2	Lab Black	26
CR 0043	S2	Lab White	26
CR 0044	S2	Lab Grey	26
DIGITAL			
AB 02	SD	AB 02	32
AB 03	SD	AB 03	31
AB 04	SD	AB 04	31
AB 05	SD	AB 05	31
CH 04	SD	CH 04	34
CH 05	SD	CH 05	34
NA 03	SD	NA 03	34
NA 04	SD	NA 04	32
NA 05	SD	NA 05	34
RT 03	SD	RT 03	34

INDEX

TECHNICAL SPECIFICATIONS

S NO.	PROPERTIES	UNIT	SPECIFIED VALUE BSEN438	TYPICAL STYLAM VALUE
1	Thickness	mm	1±0.10	1±0.10
2	Resistance to immersion in boiling water			
	a) Mass increase	%, Max	10	7.5
	b) Thickness increase	%, Max	12	8.5
	c) Appearance		4	4
3	Resistance to surface wear	Rev. Min.	350	380
4	Resistance to dry heat at 180°C			
	a) Appearance: Gloss	Grade, Min.	3	4
	b) Appearance: Others	Grade, Min.	4	5
5	Dimensional stability at 20°C	(L)%, Max	0.55	0.4
		(T)%, Max	1.025	0.85
6	Dimensional stability at elevated temperature	(L)%, Max	0.375	0.25
		(T)%, Max	0.625	0.5
7	Resistance to impact by small diameter ball	N, Min.	20	30
8	Resistance to scratching	N, Min.	2	2.5
9	Resistance to staining:			
	a) Group 1 & 2	Grade, Min.	5	5
	b) Group 3 & 4	Grade, Min.	4	5
10	Resistance to cigarette burns	Grade, Min.	3	4
11	Resistance to cracking	Grade, Min.	4	5
12	Resistance to steam	Grade, Min.	4	5
	Resistance to colour change in			
	a) Xenon Arc Light	Grade, Min.	6	6
	b) Enclosed carbon Arc Light	Grade, Min.	5	5

THE 1MM
LOOK & FEEL

95 mm X 65mm

Our extensive 1mm collection samples presented in this catalogue are not in the actual thickness for logistic reasons.

But the sample above is!
Flip it. Hold It. Caress the high quality back sanding. Feel the real power of 1mm!