

STELLA

multipanels



Bogears spent pursuing the ethos,

'what the spirit commits, perseverance completes' is what has shaped Stylam Industries Limited. We are reputed to be a global entity with a Pan India presence and a thriving export market in more than 80+ countries, having our major customers in Europe, Far East, Middle East, Russia, and North America.

We have our state-of-the-art infrastructural plant at Panchkula in North India. Sophisticated moulds of various finishes imported from Europe are used in the production of our high-quality laminates following the universally acceptable European standards EN 438 series. Crossing our silver jubilee celebrations was the inauguration of our ultra-modern manufacturing plant, designed by renowned Singapore-based architects. The facility has a hydraulic press system capable of producing the biggest size of laminate panels in India.

We are an ISO 9001: 2015 certified company, that itself shows our integrity, quality and reliability. Another feather in our cap is, we are recognized as an 'Export House' by the

Government of India. Our unique design range and advanced quality efficiency of laminates have assisted the company in being awarded the prestigious CE certification for its compact laminates.

STELLA TILES

Instant.

Smart.

low profile

Beauty, innovation, sustainability. Stylam introducing a new innovative product in the world of architecture and living.

STELLA TILES a lightweight, versatile and resistant material that goes beyond the look of natural materials: decorative elements and sophisticated designs lend a distinctive quality personality to any project.

Create a beautiful array with our waterproof and antimicrobial wall panels, the modern and luxurious way to decorate your spaces. Transposing the most precious essences offers an original and flawless interpretation of the trendiest surfaces – solid, stone and wood – without betraying its vocation for experimenting with forms, colors and surfaces. Style to those who love the worn effect. Also, stellar tiles are perfect for renovating without demolishing. They can be easy installed on the top of existing walls, providing the benefit of speed, convenience, cost saving and absence of debris.





EASIER TO CLEAN Exclusive surface processing techniques.

MORE
SUSTAINABLE

production process that is extremely efficient in terms of compliance with environmental standards and consumption of water, energy and raw material.

STELLAR AT THEIR BEST.

Stellar offer unique and outstanding performance.

STYLAM stands out for its superior quality products


SPECIFIATIONS

Size:

- 1220mm x2440mm
- 3050mmx1300mm

Thickness:

3mm and above



Parquet


PQT

Parquet


Size: 1220 x 2440mm

Grid Unit:

200X100mm










539 DARK CHOCOLATE PQT



572 ROBINHOOD RED PQT



1458 ZEBRAWOOD MARBEL PQT



STC Stack

Size: 1220 x 2440mm

Grid Unit: 200 x 75 mm







8117 WARN GREY STC



Herringbone

HRB

HERRINGBONE

Size: 1220 x 2440mm



Grid Unit: 190 x 95 mm



572 ROBINHOOD RED HRB



1362 SLATE GREY HRB



7602 ASH BROWN HRB



2241 KANVAS WOOD HRB



Herringbone

CZM

Chevron Zigzag


Size: 1220 x 2440mm




Grid Unit:


190 x 95 mm


(Finish available: **GL**) with Matt Grout


















BMY

KITCHEN BRICK


Size: 1300 x 3050mm

Grid Unit: 200 x 75 mm


(Gloss with Matt Grout)







1056 NAVY BLUE BMY



1721 ROSSO JAIPUR BMY

Kitchen backsplash

KSHKITCHEN BACKSPLASH

Size: 1300 x 3050mm

Grid Unit: 200 x 75 mm








Tile

CT

TILE

Size: 1220 x 2440mm

Grid Unit: 200 x 300 mm






Mosaic Tile

MQ MOSAIC TILE

Size: 1220 x 2440mm

Grid Unit: 22 x 22 mm










KB


BRICK

Size: 1220 x 2440mm

Grid Unit:

200 x 75 mm









2283 TICO WALNUT KB



7308 RED MAPLE KB

Brick Tile

BT

BRICK TILE

Size: 1220 x 2440mm

Grid Unit:


75 X 200 mm








1086 LAM PEACH BT



8521 MANGO BT





Redesigned Loft
Open Spaces
Food Atelier
City Store
Restyling Bedroom
Kitchen Service Area
Kitchen Food Preparation Area



Applications Areas

Contemporary
Dining Area







TECHNICAL SPECIFICATIONS

Sr. No.	Properties	Unit	Specified Value	Typical Stylam Value
1	Thickness	mm	1 ±0.10	1 ±0.10
2	Resistance to immersion in boiling water			
	a) Mass increase	%, Max.	10	7.5
	b) Thickness increase	%, Max.	12	8.5
	c) Appearance	Grade, Min.	4	4
3	Resistance to surface wear	Rev. Min.	350	380
4	Resistance to dry heat at 180°C			
	a) Appearance:Gloss	Grade, Min.	3	4
	b) Appearance: Others	Grade, Min.	4	5
5	Dimensional stability at 20°C	(L)%, Max.	0.55	0.40
		(T)%, Max.	1.025	0.85
6	Dimensional stability at elevated temperature	(L)%, Max.	0.375	0.25
		(T)%, Max.	0.625	0.50
7	Resistance to impact by small diameter ball	N,Min.	20	30
8	Resistance to scratching	N,Min.	2	2.5
9	Resistance to staining:			
	a) Group 1&2	Grade, Min.	5	5
	b) Group3&4	Grade, Min.	4	5
10	Resistance to cigarette burns	Grade, Min.	3	4
11	Resistance to cracking	Grade, Min.	4	5
12	Resistance to steam	Grade, Min.	4	5
13	Resistance to colour change in			
	a) Xenon arc light	Grade, Min.	6	6
	b) Enclosed Carbon Arc Light	Grade, Min.	5	5

CERTIFICATIONS
































- 1220 mm -


KB/ Brick Tile Size: 200 x 75mm PQT/ Parquet Tile Size : 200 x 100mm



KSH/ Kitchen Backsplash Tile Size: 200 x 75mm

Note: Thickness 3mm







MQ/ Mosaic Tile Gloss and Matt Tile Size : 22 x 22mm


Note: Thickness 3mm

CHEVRON ZIGZAG




Tile Size: 200 x 75mm





CZM/ Chevron Zigzag Gloss with Matt Grout Tile Size: 190 x 95mm





– 1300 mm –

BMX/ Bathroom Brick Gloss with Matt Grout Tile Size: 200 x 75mm

Note: Thickness 3mm and above